§ 520.446

§ 520.446 Clindamycin capsules and tablets.

- (a) Specifications—(1) Each capsule contains the equivalent of 25, 75, 150, or 300 milligrams (mg) clindamycin as the hydrochloride salt.
- (2) Each tablet contains the equivalent of 25, 75, or 150 mg clindamycin as the hydrochloride salt.
- (3) Each capsule contains the equivalent of 25, 75, or 150 mg clindamycin as the hydrochloride salt.
- (b) Sponsors. See sponsors in §510.600(c) of this chapter as follows:
- (1) Nos. 000009 and 059130 for use of capsules described in paragraph (a)(1) of this section.
- (2) No. 051311 for use of tablets described in paragraph (a)(2) of this section.
- (3) No. 043806 for use of tablets described in paragraph (a)(3) of this section.
- (c) Conditions of use in dogs—(1) Amount. Wounds, abscesses, and dental infections: 2.5 to 15 mg per pound (/lb) body weight every 12 hours for a maximum of 28 days. Osteomyelitis: 5.0 to 15 mg/lb body weight every 12 hours for a minimum of 28 days.
- (2) Indications for use. For the treatment of skin infections (wounds and abscesses) due to susceptible strains of coagulase-positive staphylococci (Staphylococcus aureus orS. intermedius), deep wounds and abscesses due to susceptible strains of Bacteroides Prevotellamelaninogenicus, Fusobacterium necrophorum, and Clostridium perfringens, dental infections due to susceptible strains of S. aureus, B. fragilis, P. melaninogenicus, F. necrophorum, and C. perfringens, and osteomyelitis due to susceptible strains S. aureus, B. fragilis, P. melaninogenicus. F. necrophorum, and C. perfringens.
- (3) *Limitations*. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[67 FR 54954, Aug. 27, 2002, as amended at 68 FR 55824, Sept. 29, 2003; 69 FR 32273, June 9, 2004; 71 FR 39204, July 12, 2006; 73 FR 4077, Jan. 24, 2008]

§520.447 Clindamycin solution.

(a) Specifications. Each milliliter of solution contains the equivalent of 25

- milligrams (mg) clindamycin as the hydrochloride salt.
- (b) *Sponsors*. See Nos. 000009, 051311, 058829, and 059130 in §510.600(c) of this chapter.
- (c) Special considerations. Federal law restricts this drug to use by or on the order of a licensed veterinarian.
- (d) Conditions of use—(1) Dogs—(i) Amount. Wounds, abscesses, and dental infections: 2.5 to 15 mg per pound (/lb) body weight every 12 hours for a maximum of 28 days. Osteomyelitis: 5.0 to 15 mg/lb body weight every 12 hours for a minimum of 28 days.
- (ii) Indications for use. For the treatment of skin infections (wounds and abscesses) due to susceptible strains of coagulase-positive staphylococci (Staphylococcus aureus orintermedius), deep wounds and abscesses due to susceptible strains of Bacteroides fragilis. Prevotellamelaninogenicus, Fusobacterium necrophorum, and Clostridium perfringens; dental infections due to susceptible strains of S. aureus, B. fragilis, P. melaninogenicus, F. necrophorum, and C. perfringens; and osteomyelitis due to susceptible strains of S. aureus, B. fragilis, P.melaninogenicus, F. necrophorum, and C. perfringens.
- (2) Cats—(i) Amount. 5.0 to 15.0 mg/lb body weight every 24 hours for a maximum of 14 days.
- (ii) Indications for use. For the treatment of skin infections (wounds and abscesses) due to susceptible strains of Staphylococcus aureus, S. intermedius, Streptococcus spp.; deep wounds and abscesses due to susceptible strains of Clostridium perfringens and Bacteroides fragilis; and dental infections due to susceptible strains of S. aureus, S. intermedius, Streptococcus spp., C. perfringens, and B. fragilis.

[67 FR 54954, Aug. 27, 2002, as amended at 67 FR 78684, Dec. 26, 2002; 68 FR 55824, Sept. 29, 2003; 69 FR 31734, June 7, 2004; 71 FR 39543, July 13, 2006; 72 FR 19796, Apr. 20, 2007]

§520.452 Clenbuterol syrup.

- (a) *Specifications*. Each milliliter contains 72.5 micrograms of clenbuterol hydrochloride.
- (b) Sponsor. See 000010 in §510.600(c) of this chapter.
- (c) [Reserved]